Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	385	((sav\$4 or preserv\$4) near5 (area or percent\$4) near6 (black or k or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:42
L2	1	1 and ((generat\$ or creat\$4) near4 proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:43
L3	4	1 and (conver\$6 near3 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:44
S1	2	"6396595"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 15:26
S2	2	"6026216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 15:22
S3	2	"5077604".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 15:22
S4	4	((area adj percent\$3) same ((black or k) near2 (image adj data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 22:07
S5	3521	(area adj percent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 15:33
S6	1566	((area adj percent\$3) ) and (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 15:33
S7	120	((((area adj percent\$3) ) and (black or k)) and (image adj1 data)) and (k=0% "or" 100%)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 15:25

					1	1
S8	120	(((area adj percent\$3)) and (black or k)) and (image adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 15:35
S9	0	((area adj percent\$3) near5 ((black or k) near2 (image adj data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 22:08
S10	11687	(true or accurat\$3 or sav\$3 or preserv\$3 or percent\$3) near4 (k or black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 11:40
S11	21	(((true or accurat\$3 or sav\$3 or preserv\$3 or percent\$3) near4 (k or black)) and ((generat\$3 or produc\$4) near4 (proof))) and ((conver\$4) near3 (table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:30
S12	113	((area adj percent\$3) and (black or k) same (0% "or" 100%))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 15:30
S13	55	((true or accurat\$3 or sav\$3 or preserv\$3 or percent\$3) near4 (k or black)) and ((generat\$3 or produc\$4) near4 (proof))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:26
S14	55	((true or accurat\$3 or sav\$3 or preserv\$3 or percent\$3) near4 (k or black)) and ((generat\$3 or produc\$4) near4 (proof))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 15:08
S15	21	(((true or accurat\$3 or sav\$3 or preserv\$3 or percent\$3) near4 (k or black)) and ((generat\$3 or produc\$4) near4 (proof)) ) and ((conver\$4) near3 (table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 15:45
S16	2	"5077604".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:34
S17	2	"4926254".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:39

S18	2	"5835244".pn.	US-PGPUB;	OR	ON	2004/05/25 16:39
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S19	2	"2000203094"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 09:30
S20	124960	((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/29 15:25
S21	4262	(((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))) and (texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/28 09:55
S22	165	((((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))) and (texture)) and (halfton\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/28 09:55
S23	124996	((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/28 09:55
S24	4573	(((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))) and (texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/28 09:55
S25	190	((((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))) and (texture)) and (halfton\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/28 09:56
S26	49	(((((generat\$3 or creat\$3 or produc\$5) near6 ((screen\$3) or (color or colour) adj3 (model)))) and (texture)) and (halfton\$3)) and (hue or saturation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:26
S27		(area adj percentage\$4) near10 (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/29 15:26

		<del></del>				
S28	55	(area adj percentage\$4) near10 (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/29 15:26
S29	10736	(generat\$4 or produc\$4 or creat\$4) near5 (proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:27
S30	8	((generat\$4 or produc\$4 or creat\$4) near5 (proof)) and (color adj conver\$4) near2 (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:39
S31	60475	Kondo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:37
S32	413	Kondo.in. and proof	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:37
S33	14	(Kondo.in. and proof) and (color adj conver\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:38
S34	2	((Kondo.in. and proof) and (color adj conver\$4)) and (color adj conver\$4) near2 (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 16:39
S35	2	"5734801".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 11:50
S36	2389	(generat\$4) near5 (proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 15:09
S37	4	((generat\$4) near5 (proof)) and (select\$4) near5 (conversion adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 15:14

S38	5	((generat\$4) near5 (proof)) and (select\$4) near10 (conversion adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:18
S39	5	((generat\$4) near5 (proof)) and (select\$4 or choos\$4 or pick\$3) near10 (conversion adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:19
S40	. 12	((generat\$4) near5 (proof)) and (select\$4 or choos\$4 or pick\$3) same (conversion adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:26
S41	2389	((generat\$4) near5 (proof))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:26
S42	17	(( sav\$3 or preserv\$3 ) near4 (density) near5 (black or k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:29
S43		(((generat\$4) near5 (proof))) and ((sav\$3 or preserv\$3) near4 (density) near5 (black or k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/08 16:26
S44	0	((( sav\$3 or preserv\$3 ) near4 (density) near5 (black or k))) and (generat\$3 near10 proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:28
S45	83	(( sav\$3 or preserv\$3 ) same (density) near5 (black or k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:29
S46	0	((( sav\$3 or preserv\$3 ) same (density) near5 (black or k))) and (generat\$3 near5 proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:29
S47	4	((( sav\$3 or preserv\$3 ) same (density) near5 (black or k))) and ( proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/08 16:12

S48	1	"0877525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/08 16:13
S49	0	"0877525".pn.	EPO; JPO	OR	ON	2004/06/08 16:13
S50	0	"0877525"	EPO; JPO	OR	ON	2004/06/08 16:13
S51	1	"877525"	EPO; JPO	OR	ON	2004/06/08 16:16
S52	12	"877525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/08 16:16
S53	2391	(((generat\$4) near5 (proof)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/08 16:27
S54	47	((((generat\$4) near5 (proof))) ) and ((rang\$3 or interval\$1) near5 (density))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/08 16:28
S55	43	(((((generat\$4) near5 (proof))) ) and ((rang\$3 or interval\$1) near5 (density))) and (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 12:23
S56	1	((((((generat\$4) near5 (proof))) ) and ((rang\$3 or interval\$1) near5 (density))) near10 (black or k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 12:27
S57	737	(((rang\$3 or interval\$1) near5 (density)) near10 (black or k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 12:28
S58	986	(((rang\$3 or interval\$1) near5 (density)) with (black or k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 12:28
S59	159	(((((rang\$3 or interval\$1) near5 (density)) with (black or k))) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 12:28

S60	8	(((((rang\$3 or interval\$1) near5 (density)) with (black or k))) and "358"/\$.ccls.) and ((generat\$3 or creat\$3 or produc\$3) near9 proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 18:13
S61	8	(((((rang\$3 or interval\$1) near5 (density)) with (black or k))) and "358"/\$.ccls.) and ((generat\$3 or creat\$3 or produc\$3) near9 proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 18:15
S62	0	(((((((rang\$3 or interval\$1) near5 (density)) with (black or k))) and "358"/\$.ccls.) and ((generat\$3 or creat\$3 or produc\$3) near9 proof) ) and ((predetermin\$3 or pre adj1 determin\$3 or suggest\$3 or assign\$3) near5 (ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 18:15
S63	54962	((predetermin\$3 or pre adj1 determin\$3 or suggest\$3 or assign\$3) near5 (ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 18:15
S64	7	(((predetermin\$3 or pre adj1 determin\$3 or suggest\$3 or assign\$3) near5 (ratio))) and (((((rang\$3 or interval\$1) near5 (density)) with (black or k))) and "358"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 18:15
S65	0	((((predetermin\$3 or pre adj1 determin\$3 or suggest\$3 or assign\$3) near5 (ratio))) and (((((rang\$3 or interval\$1) near5 (density)) with (black or k))) and "358"/\$.ccls.) ) and ((generat\$3 or creat\$3 or produc\$3) near9 proof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 18:16